

## IN THE CLAIMS

Please amend the claims as follows:

Claims 1-17 (Canceled).

Claim 18 (New): A forage treatment device for treating forage comprising:  
a rotor driven in rotation about an axis, the rotor including a support and at least one conditioning element, the at least one conditioning element comprising:

- at least one active part configured to work the forage;
- a first connecting part configured to connect the at least one conditioning element to the support by a first connection; and
- a second connection configured to connect the at least one conditioning element to the support should the first connection break.

Claim 19 (New): A forage treatment device according to Claim 18, wherein the at least one conditioning element further comprises a second connecting part configured to connect the at least one conditioning element to the support by the second connection should the first connection break.

Claim 20 (New): A forage treatment device according to Claim 18, wherein the support includes a tube and at least one connecting element.

Claim 21 (New): A forage treatment device according to Claim 20, wherein the second connection is configured to connect the at least one conditioning element to the tube should the first connection break.

Claim 22 (New): A forage treatment device according to Claim 21, wherein the second connecting part includes a body and a head, a width of the head being greater than a width of the body.

Claim 23 (New): A forage treatment device according to Claim 22, wherein the body is connected to the first connecting part.

Claim 24 (New): A forage treatment device according to Claim 22, wherein the second connecting part extends at least partially inside the tube.

Claim 25 (New): A forage treatment device according to Claim 24, wherein a surface of the tube has at least one notch allowing the second connecting part to be introduced at least partially into the tube.

Claim 26 (New): A forage treatment device according to Claim 25, wherein the at least one notch comprises an entry area having a width greater than or equal to the width of the head.

Claim 27 (New): A forage treatment device according to Claim 25, wherein the at least one notch includes a holding area with a width less than the width of the head but greater than or equal to the width of the body.

Claim 28 (New): A forage treatment device according to Claim 25, wherein the at least one notch extends in a plane at least substantially perpendicular to an axis of rotation of the rotor.

Claim 29 (New): A forage treatment device according to Claim 25, wherein the at least one notch includes an entry area and a holding area, and wherein, viewed in a direction of rotation of the rotor, the entry area is arranged forward of the holding area.

Claim 30 (New): A forage treatment device according to Claim 20, wherein the at least one connecting element is connected removably to the tube.

Claim 31 (New): A forage treatment device according to Claim 18, wherein the first connection is an articulation of pivot type.

Claim 32 (New): A forage treatment device according to Claim 20, wherein the second connection is configured to connect the at least one conditioning element to the at least one connecting element should the first connection break.

Claim 33 (New): An agricultural machine comprising a forage treatment device according to Claim 18.

Claim 34 (New): An agricultural machine according to Claim 33, wherein the agricultural machine is a mower.